

Area 3 North Central-North/NorthEast
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W Ranking: 19

Name of Intervention	STD and HIV Risk in Heterosexual Adults Attending a Public STD Clinic FS-23
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility. • Poor negotiation safety • Cultural norms • Poor social support • Dislike condoms
Intended Immediate Outcomes	Increase risk perception Increase negotiation skills Increase skill in using condoms
Type	ILI
Setting	Urban STD clinics
Is this intervention currently being provided in your planning area?	
Rationale for Selecting this Intervention:	It addresses the major FIBS identified for this population.

Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W

Ranking: 19

Name of Intervention	Project RESPECT C-11, FS-35
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Negative attitudes toward condom use • Low perceived susceptibility • Group norms
Intended Immediate Outcomes	Increase risk perception Increase intent to use condoms Develop risk reduction plan
Type	ILI
Setting	STD clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	May be modified to be used in other settings. Addresses attitudes toward condom use. Two levels of intervention to meet specific clients' needs

Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W

Ranking: 19

Name of Intervention	Project LIGHT FS-43
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Poor attitudes toward condom use • Negotiation skills • Limited skills in developing relationships
Intended Immediate Outcomes	Increase risk perception Increase skill in use of condoms Increase intent to use condoms
Type	GLI
Setting	Inner-city STD clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides opportunities to practice safer sex and negotiation skills. Promotes changes in attitudes toward condoms

Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W

Ranking: 19

Name of Intervention	Condom Skills Education and Sexually Transmitted Disease Reinfection C-7
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Negative attitudes toward condom use • Lack of access to condoms
Intended Immediate Outcomes	Increase knowledge of proper condom use Increase access to condoms
Type	GLI
Setting	STD clinic waiting room
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Addresses population's major barrier to safer sex

Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W

Ranking: 19

Name of Intervention	Group Counseling at STD Clinics to Promote use of Condoms C-8
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Negative attitudes toward condom use. • Lack of access to condoms
Intended Immediate Outcomes	Increase access to condoms Increase intent to use condoms
Type	GLI
Setting	STD clinic waiting room
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	This population reported low condom use, and a negative attitude toward using them

Tab 7 – Intervention Selection Form

Subpopulation: FMS Men W

Ranking: 19

Name of Intervention	HIV Education, Testing and Counseling C-15
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Negative attitudes toward condom use.
Intended Immediate Outcomes	Increase risk perception Learn serostatus Develop risk reduction plan Increase knowledge of HIV
Type	ILI
Setting	Urban STD clinics
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Provides opportunity for HIV testing and addresses condom use